



## **Features** Tested and certified according to EN 469 Inverted "L" shaped stormflap with integrated throat closure Faster donning, Eliminates gaps around throat 3" collar Radio pocket and microphone loop Optional pockets available in Patch or Semi-Bellow styles in various sizes Fully customizable for your needs Various styles of Black Nomex® wristlets • Helps prevent dangerous gaps ■ 84 cm style jacket / regular waist in throat area trouser • Same three layers as garment plus one extra layer of outer shell Ensures full protection and fit • Easily stowed by folding the throat tab on the storm flap Additional ■ Vislon® zipper with hook & loop optional features Jacket and trouser closure · Inside pocket • Webbing X-style suspenders Optional pockets available in • Trouser waist adjustment straps Semi-Bellow or Full-Bellow • Sleeve cuff adjustment tab styles in various sizes • Exterior hanging loop Fully customizable for your need • Jacket and trouser ziper inspection port • Selection of reinforcements and padding • Selection of Retro-reflective Letters and Numbers Preformed multi-panel legs • Extended upper back Improved range of motion and better fit



# **OPTIONS**

### **WRISLETS**

### Nomex® wristlet







With thumb loop



With thumb hole

## REINFORCEMENTS



Available on shoulders, elbows, cuffs, knees and pockets Shown in Armor  $AP^{^{\text{TM}}}$  gold

## RETROREFLECTIVE LETTERS





- 3M<sup>™</sup> Scotchlite<sup>™</sup> Reflective Material
- 2" or 3" letters or numbers
- Fluorescent lime/yellow or orange

# POCKETS, FLAPS, LOOPS AND CLIPS



Radio pocket Selection of flaps



Pockets: Full-Bellow (trouser only), Semi-Bellow or Patch style (jacket only) several sizes available



Napoleon pocket, 140 mm opening on left side, under storm flap

## **OUTER SHELL LETTER PATCH**





- Sewn-on or removable
- Several standard sizes available
- 4" x 17" extension patch available



Microphone loop



Tab with Hook & Loop fastener

Other options available upon request



## **FABRICS**

### **OUTER SHELLS**

### PBI Max™

Proprietary blend of 70% "PBI Dominant" PBI / Kevlar® spun yarns with 30% 600-denier Kevlar® filament Twill weave, Teflon® F-PPE water repellent finish Nominal weight of 203  $\alpha/m^2 \pm 5\%$ 



#### Armor AP™

Proprietary blend of 80% Nomex® / Kevlar® spun yarns with 20% 400-denier Kevlar® filament Twill weave, Teflon® F-PPE water repellent finish Nominal weight of 220 g/m²  $\pm$  5%



## Nomex® Tough Plus

Blend of 75% Nomex®, 23% Kevlar®, 2% PA Antistatic, Twill weave, water repellent finish Nominal weight of 195 g/m² ± 5%



#### MOISTURE BARRIERS



#### STEDAIR® 3000e

Bi-component membrane of polyurethane (PU) and polytetrafluoroethylene (PFTE) laminated to hydroentangled, fine-aperture, non-woven substrate containing 85% Nomex® and 15% Kevlar®. Nominal weight of 145 g/m²  $\pm$  5%

## THERMAL BARRIERS



## Prism<sup>™</sup> 1-Layer

68% Aramid / 21% FR Viscose / 11% Polyamide dobby weave face coth quilted to 1 layer of 100% aramid non-woven substrate
Nominal weight of 200 g/m² ± 10%



#### Thermal S

50% Aramid / 50% FR Viscose plain weave face cloth quilted to 1 layer of 100% aramid non-woven substrate Nominal weight of 195 g/m $^2$   $\pm$  10%

#### INNOTEX®

275 Gouin, Richmond, Quebec Canada JOB 2H0

#### **INNOTEX®**

2397 Harts Ferry Rd., Ohatchee, Alabama USA 36271

#### **Customer service**

Tel.: +1 819 826-5971 Fax: +1 819 826-5195

E-mail: info@innotexprotection.com www.innotexprotection.com













#### Copyright 2016 INNOTEX INC.

All rights reserved. Because of our ongoing commitment to product quality and development we reserve the right to change, cancel, discontinue or alter any specification, design or feature without prior notice and without incurring obligation.

<sup>®</sup> Registered Trademark of INNOTEX INC. or their respective holders.

<sup>™</sup>Trademark of INNOTEX INC. or their respective holders. Printed in Canada / Rev.11-16